

90% REPEAT BUSINESS

THE MOST ERGONOMIC
PRODUCT ON THE MARKET



METROLOGY LAB PRECISION ON THE PRODUCTION LINE

MIL-STD-810g drop tested
ISO 17025 accredited

AUTOMOTIVE

▶ Hand-held

Automated/robotic

AEROSPACE

ENERGY

INDUSTRIAL

25+ YEARS OF METROLOGY EXPERIENCE

THIRD DIMENSION
ADVANCING MANUFACTURING



THE INLINE SOLUTION

Rely on a robust tool

GapGun Pro2 is IP rated and drop tested. Proven to take 1 million measurements in one year.

Take ultra-fast measurements

The GapGun Pro2 has a measurement cycle of just 1 second.

Enjoy a portable and ergonomic tool

The GapGun Pro2 can be taken to the part and can run for up to 8 hours.
100% operator approved.

THE TOOL FOR OFFLINE QUALITY CONTROL INSPECTION

Measure 100s of points of the car easily

The full colour graphic check plans can be tailored to your application and show operators exactly where to measure.

Ensure an audit trail for all measurements

GapGun Pro2 captures measurement digitally. Sensors are calibrated in an ISO17025 certified laboratory.

Get repeatable results

For the sharpest business intelligence.



GapGun is the ideal tool for quickly and accurately measuring small gaps and profiles throughout the car... it has saved time and money throughout the production process.

Alan Olifent,
Dimensional and Process Verification Manager, JLR

Automate your non-contact precision measurement processes when you install Vectro2 into your quality processes. Vectro2 can be mounted onto a robot, cobot or fixed arm and is the automated version of the GapGun Pro2. Please get in contact with us for more information.



Fast



Accurate



Repeatable



Non-contact



Traceable

THE GAPGUN PRO2 COMES EQUIPPED WITH A MARKET LEADING RANGE OF FEATURES





CREATE BESPOKE CHECKPLANS

SPC3d Software lets you define sequences of measurements including photos that users can follow with minimal training.



SHARE MEASUREMENT PLANNING

Manage multiple GapGun Pro2s using one software, SPC3d, and have multiple operators working at once from one plan.



TOUCH SCREEN INTERFACE

Navigate through checkplans easily with GapGun Pro2's touch screen.



EXPORT MEASUREMENT RESULTS EASILY

Export measurement results easily to CSV, SQL, XML, Excel, PDF and other file formats. Interface with most leading SPC packages such as QDAS.



ON SCREEN RESULTS ANALYSIS

View cross sections of the measurement area and results analysis on-screen using standard red/green colouring conventions and warning sounds to indicate go/no go conditions.



CHANGEABLE SENSOR HEADS

Our trademarked "VChange" mechanism mean you can switch between sensor heads easily and quickly.



ACCESS HARD-TO-REACH PLACES WITH EXTENSION CABLE

Take measurements in awkward and small places, when you use the sensor head extension cable.



FULLY INTEGRATED WI-FI CAPABILITY

Feed measurement back to your production systems in real-time.



MULTIPURPOSE DESK DOCK

Download data straight to the PC and charge simultaneously.



HI-RANGE SENSOR HEAD CAPABILITY


Measure a range of surfaces including light clusters, chrome, high gloss black paint and carbon fibre.

ONE TOOL


INFINITE APPLICATIONS




GAP AND FLUSH INTERIORS



GAP AND FLUSH EXTERIORS




GAP AND FLUSH LIGHTS






RADI




BURRS



WELD AND SEALS



ANGLES



T60 SENSOR HEAD SPECIFICATION

T60



Available in red or violet laser



Access hard to reach places with optional sensor head extension cable

SPECIFICATION

Laser	Class 2M with automatic laser intensity adjustment.
Measurement capability	Defined by specification D19-034, Sensor head includes calibration and certificate.
Operating temperature	0 to 40°C (32 to 104°F)
Shock protection	Shock protection jacket.
Size	56 x 99 x 41mm (2.2 x 3.9 x 1.6") W X D X H, Inc jacket.
Software	GapGun version 8 software.
Storage temperature	-20°C to 60°C (-4 to 140°F)
Trigger	Remote trigger mounted within the sensor head.
Weight	170g (5.9 oz)

ACCESSORIES

Included

Dock Station	Charge the GapGun Pro2 and upload data directly to a PC.
Battery Pack	Use for longer with the light-weight battery pack.
Belt Clip	Carry the GapGun Pro2 with ease.
Calibration Block	Calibrate with ease.

Optional

Head Extension Cable	Take measurements in tight and hard to access locations.
Stand-off set	Attach to the sensor head for increased throughput.

GAPGUN PRO2 DATA COLLECTOR



Display	Full colour, daylight readable LCD touchscreen
Size	97mm (3.8")
Resolution	640 x 480 pixel
Ethernet	100MBPS fast ethernet
Feedback	Audio output and haptic feedback
Operating temperature	0 to 40C (32 to 104F). Internal battery charging limited at higher temperatures.
Peripheral devices	USB 2.0 port.
Power rating (battery)	4W (4.2v @ 0.95A)
Power rating (charging)	6W (12v @ 0.5A)
Shock protection	Shock protecting cover on sensor and handle, and high impact plastic housing.
Size	90 x 135 x 190mm (3.5 x 5.3 x 7.5") W x D x H)
Software	GapGun version 8 software
Storage capacity	2GB internal storage
Storage temperature	-20°C to 60°C (-4 to 140°F)
User interface	Click and drag touchscreen, trigger and power/reset button
Weight	460g (16oz)
Wireless	IEEE 802.11 b,g,n

COMPATIBLE PC SOFTWARE



SPC3d software pack

For checkplan configuring measurement tools, data logging, reviewing measurements.



Link software pack

Allows custom .NET programs to be written controlling the GapGun Pro2 or Vectro devices.



Inspect software pack

For manual and interactive analysis of measurement data.



Inline software pack

Allows a large overhead display of measured results.

WARRANTY AND SERVICE

2-Year warranty as standard on GapGun Pro2 and T60 sensor heads. Maintenance contracts available, please contact your local Distributor or sales@mawea.com.my for more information.



ABOUT

Third Dimension design and manufacture GapGun® (hand-held) and Vectro® (robotic) non-contact precision measurement systems. Established in 1995, we have a long track record of supplying non-contact optical measurement equipment and services to the largest names in aerospace, automotive and energy sectors worldwide.

Holder of two Queen's Awards for Enterprise, our systems have been fully integrated into quality control processes by leading OEMs, Tier 1s and 2s in the automotive, aerospace and energy sectors, worldwide.

Achieving ISO 17025 status in 2019, Third Dimension continue to lead the way in non-contact precision measurement tooling.



The support from the GapGun guys is excellent, they are highly experienced and integrated the GapGun into our processes quickly and efficiently. We are very pleased with the investment”

Automotive OEM UK

ARRANGE A DEMONSTRATION TODAY

Simply call +603-7783 3459 or email sales@mawea.com.my and we will talk through your requirements.

GET IN CONTACT

Authorised Distributor



MAWEA INDUSTRIES SDN BHD
A member of IME Group of Companies (356204-A)

Digital Transformation
Lab Partner



Mawea Industries empowers businesses with innovation solution from a holistic life-cycle management approach through digital transformation solutions in design, engineering, simulation, production and manufacturing space. We identify potential for business transformation and operation improvement and deploy industry best practices, technologies and methodologies.

Representative Office C-3A-3A Oasis Square, No 2 Jln PJU 1A/7A, Ara Damansara, 47301 PJ, Selangor, Malaysia. +603-7734 2881

Headquarters 30A Jln PJS1/46, Tmn Petaling Utama, 46000 PJ, Selangor, Malaysia. +603-7783 6866

Penang 68 Jln Perai Jaya 4, Bandar Perai Jaya, 13700 Pulau Pinang, Malaysia. +604-399 5571

Johor 25-01 Jln Bestari 8/2, Tmn Nusa Bestari, Iskandar Puteri, 79150 Johor, Malaysia +607-238 7978

www.mawea.com.my | sales@mawea.com.my

CUSTOMERS

Third Dimension's distribution network serves customers in 30+ countries worldwide. These include:



GapGun and Vectro systems are designed, developed and manufactured by:

THIRD DIMENSION
ADVANCING MANUFACTURING

Third Dimension, 3 Brabazon Office Park, Golf Course Lane, Filton, Bristol, BS34 7PZ, United Kingdom.

Tel: +44(0)3333 44 3000 Email: info@third.com.

D20-0396-EN Rev1 © Third Dimension Software Ltd. All Rights Reserved.